

Reviewed on 01/31/2022

1 Identification

- · Product identifier
- · Trade name: Chembond® 2000 H.T.A
- · Article number: HTA Adhesive
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92878 USA +1 (951) 735-5511 ncollins@ccidom.com

• Information department: Product safety department

• Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling:* acetone dibutyltin dilaurate ethyl acetate

Hazard statements
 H225 Highly flammable liquid and vapor.
 H319 Causes serious eye irritation.
 H360 May damage fertility or the unborn child.

(Contd. on page 2)

⁻ US

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

	(Contd. of page 1)
	drowsiness or dizziness.
· Precautionary sta	atements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazards	

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

2 wight our components		
67-64-1	acetone	45-65%
141-78-6	ethyl acetate	15-30%
77-58-7	dibutyltin dilaurate	<0.5%

4 First-aid measures

· Description of first aid measures

 \cdot **General information:** Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

⁻US

Printing date 01/31/2022

Reviewed on 01/31/2022

(Contd. of page 2)

• Information for doctor:

Trade name: Chembond® 2000 H.T.A

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: For large spills: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:		
67-64-1		200 ppm
141-78-6	ethyl acetate	1,200 ppm
77-58-7	dibutyltin dilaurate	1.1 mg/m ³
· PAC-2:		
67-64-1	acetone	3200* ppm
141-78-6	ethyl acetate	1,700 ppm
77-58-7	dibutyltin dilaurate	8 mg/m ³
• PAC-3:		
67-64-1	acetone	5700* ppm
141-78-6	ethyl acetate	10000** ppm
77-58-7	dibutyltin dilaurate	48 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

(Contd. of page 3)

Prevent formation of aerosols.
Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:	
	4-1 acetone	
PEL	Long-term value: 2400 mg/m ³ , 1000 ppm	
REL	Long-term value: 590 mg/m ³ , 250 ppm	
TLV	Short-term value: 500 ppm Long-term value: 250 ppm A4, BEI	
141-	78-6 ethyl acetate	
PEL	Long-term value: 1400 mg/m ³ , 400 ppm	
REL	Long-term value: 1400 mg/m³, 400 ppm	
TLV	Long-term value: 400 ppm	
77-5	8-7 dibutyltin dilaurate	
PEL	Long-term value: 0.1 mg/m ³ as Sn	
REL	Long-term value: 0.1 mg/m³ as Sn, Skin	
TLV	Short-term value: 0.2 mg/m ³	
	Long-term value: 0.1 mg/m ³ as Sn; A4; Skin	
· Ingr	edients with biological limit values:	
67-6	4-1 acetone	
BEI	25 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: Acetone (nonspecific)	
·Add	<i>tional information:</i> The lists that were valid during the creation were used as basis.	(Contd. on page 5

Printing date 01/31/2022

· Exposure controls

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. (Contd. of page 4)

	iled and contaminated clothing.
wasn nanas before breaks	and at the end of work.
Store protective clothing se	
Avoid contact with the eyes	
Avoid contact with the eyes	s and skin.
Breathing equipment:	
Not required.	
conditions of	pment should be selected based on an assessment of risk of exposure as uses an
air and	ingle PPE scenerio that fits all. There are solvents in the blend that evaporate into th
warranted.	use volumes in combination with limited ventilation, respiratory protection may b
and	ker uses the product in small amounts with local exhaust ventilation, protective glove
eye protection may be suffic	cient to control exposure
Protection of hands:	
	es be impermeable and resistant to the product/ the substance/ the preparation. commendation to the glove material can be given for the product/ the preparation/ th
chemical mixture.	
Selection of the glove mater Material of gloves	rial on consideration of the penetration times, rates of diffusion and the degradation
varies from manufacturer t	le gloves does not only depend on the material, but also on further marks of quality an to manufacturer. As the product is a preparation of several substances, the resistance of be calculated in advance and has therefore to be checked prior to the application. material
The exact break through t observed.	time has to be found out by the manufacturer of the protective gloves and has to b
Eye protection:	
Tightly sealed g	roggles

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Color:
- · Odor:

Liquid Red Characteristic

(Contd. on page 6)

US

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

	(Contd. of page :
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55 °C (131 °F)
Flash point:	-17 °C (1.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	460 °C (860 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo
	mixtures are possible.
· Explosion limits:	
Lower:	2.1 Vol %
Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
• Density at 20 °C (68 °F):	0.87 g/cm ³ (7.26015 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	255.8 g/l / 2.13 lb/gal
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: No further relevant information available.}$
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 87,500 mg/kg (rat)

• Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- \cdot Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations. (Contd. on page 8)



Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

(Contd. of page 7)

· Uncleaned packagings:

· Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

UN-Number		
DOT, IMDG, IATA	UN1133	
UN proper shipping name		
DOT	Adhesives	
IMDG, IATA	ADHESIVES	
Transport hazard class(es)		
DOT		
T AMAREE LOOK		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Kemler code):		
EMS Number:	F-E,S-D	
Stowage Category	В	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

· UN ''Model Regulation'':

UN 1133 ADHESIVES, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

67-64-1 acetone

141-78-6 ethyl acetate

· Pennsylvania Right-to-Know List:

67-64-1 acetone

141-78-6 ethyl acetate

· Pennsylvania Special Hazardous Substance List: 67-64-1 acetone

141-78-6 ethyl acetate

· Carcinogenic categories

· EPA (Environmental Protection Agency) 67-64-1 acetone · TLV (Threshold Limit Value) 67-64-1 acetone A477-58-7 dibutyltin dilaurate A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

US

FЗ

F3

Ε Ε

Ι

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

Hazard pictogra	(Contd. of page 9
Jul I	
GHS02 GHS	507 GHS08
Signal word Da	nger
Hazard-determi	ining components of labeling:
acetone	
dibutyltin dilaur	rate
ethyl acetate	
Hazard stateme	
	mmable liquid and vapor.
	rious eye irritation.
	age fertility or the unborn child.
	e drowsiness or dizziness.
Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
<i>P370+P378</i>	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
	regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Mr. Collins

· Date of preparation / last revision 01/31/2022 / -

(Contd. on page 11)

______ÚS

US

Safety Data Sheet acc. to OSHA HCS

Printing date 01/31/2022

Reviewed on 01/31/2022

Trade name: Chembond® 2000 H.T.A

	(Contd. of page 10)
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	US -