

08/30/2018 Reviewed on 08/30/2018

1 Identification

· Product identifier

· Trade name: MASSIVE

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Chemical Consultants Inc. 1850 Wild Turkey Circle

Corona, CA 92880

USA

+1 (951) 735-5511

ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 C

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Solvent naphtha (petroleum), light arom.

1,2,4-trimethylbenzene (contaminant)

(Contd. on page 2)

Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 1)

Stoddard solvent

mesitylene (contaminant)

· Hazard statements

H226 Flammable liquid and vapor.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H335 May cause respiratory irritation.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.
P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

- U



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:		
	Solvent naphtha (petroleum), light arom.	40-60%	
	1,2,4-trimethylbenzene (contaminant)	30-50%	
	Stoddard solvent	10-20%	
	mesitylene (contaminant)	1-10%	
	diethylbenzene (contaminant)	1-5%	
	xylene (contaminant)	1-5%	
98-82-8	cumene (contaminant)	1-5%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: For large spills: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 3)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

<i>PAC-1</i> :		
95-63-6	1,2,4-trimethylbenzene (contaminant)	140 ppn
108-67-8	mesitylene (contaminant)	140 ppn
25340-17-4	diethylbenzene (contaminant)	10 ppm
1330-20-7	xylene (contaminant)	130 ppn
98-82-8	cumene (contaminant)	50 ppm
<i>PAC-2:</i>		
95-63-6	1,2,4-trimethylbenzene (contaminant)	360 ppm
108-67-8	mesitylene (contaminant)	360 ppm
25340-17-4	diethylbenzene (contaminant)	100 ppm
1330-20-7	xylene (contaminant)	920* ppr
98-82-8	cumene (contaminant)	300 ppm
<i>PAC-3:</i>		
95-63-6	1,2,4-trimethylbenzene (contaminant)	480 ppm
108-67-8	mesitylene (contaminant)	480 ppm
25340-17-4	diethylbenzene (contaminant)	500 ppm
1330-20-7	xylene (contaminant)	2500* ppn
98-82-8	cumene (contaminant)	730 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

REL	Long-term value: 125 mg/m³, 25 ppm
TLV	Long-term value: 123 mg/m³, 25 ppm
	11-3 Stoddard solvent
PEL	Long-term value: 2900 mg/m³, 500 ppm
REL	Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min
TLV	Long-term value: 525 mg/m³, 100 ppm
108-67	7-8 mesitylene (contaminant)
REL	Long-term value: 125 mg/m³, 25 ppm
TLV	Long-term value: 123 mg/m³, 25 ppm
25340	-17-4 diethylbenzene (contaminant)
WEEL	Long-term value: 5 ppm
1330-2	20-7 xylene (contaminant)
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm
	Long-term value: 435 mg/m³, 100 ppm
TLV	Short-term value: 651 mg/m³, 150 ppm
	Long-term value: 434 mg/m³, 100 ppm BEI
98-82-	8 cumene (contaminant)
PEL	Long-term value: 245 mg/m³, 50 ppm Skin
REL	Long-term value: 245 mg/m³, 50 ppm Skin
TLV	Long-term value: (246) NIC-0.5 mg/m³, (50) NIC-0.1 ppm NIC-A3

1330-20-7 xylene (contaminant)

BEI 1.5 g/g creatinine Medium: urine Time: end of shift

Parameter: Methylhippuric acids

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 5)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information				
211, 0111111111111111	0 0	projection	 	p. op c. ttes

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 162 °C (323.6 °F)

• Flash point: $40 \, ^{\circ}C \, (104 \, ^{\circ}F)$

· Flammability (solid, gaseous): Not applicable.

• Ignition temperature: 230 °C (446 °F)

· Decomposition temperature: Not determined.

(Contd. on page 7)



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

	(Contd. of page
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.7 Vol %
Upper:	7.5 Vol %
Vapor pressure at 20 °C (68 °F):	5 hPa (3.8 mm Hg)
Density at 20 °C (68 °F):	0.88625 g/cm³ (7.39576 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	870.3 g/l / 7.26 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	Ticute toxi	cuy.	
	· LD/LC50 values that are relevant for classification:		
	64742-95-	6 Solvent r	naphtha (petroleum), light arom.
	Oral	LD50	>6,800 mg/kg (rat)
	Dermal	LD50	>3,400 mg/kg (rab)
	Inhalative	LC50/4 h	>10.2 mg/l (rat)
95-63-6 1,2,4-trimethylbenzene (contaminant)		2,4-trimeth	nylbenzene (contaminant)
	Oral	LD50	5,000 mg/kg (rat)
98-82-8 cumene (contaminant)			
	Oral	LD50	1,400 mg/kg (rat)
_			

(Contd. on page 8)

Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

| Dermal | LD50 | 12,300 mg/kg (rabbit) | Inhalative | LC50/4 h | 24.7 mg/l (mouse) | (Contd. of page 7)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
1330-20-7	xylene (contaminant)	3
98-82-8	cumene (contaminant)	2B
· NTP (Natio	onal Toxicology Program)	
98-82-8 cu	mene (contaminant)	R
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations


us ·

Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 8)

· UN-Number · DOT	NOT REGULATED FOR DOMESTIC GROUND TRANSPORTATION
· IMDG, IATA	UN1993
· UN proper shipping name · IMDG	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), ligharom., 1,2,4-trimethylbenzene (contaminant)), MARINI POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), lightarom., 1,2,4-trimethylbenzene (contaminant))
· Transport hazard class(es)	
· IMDG	
· Class · Label	3 Flammable liquids 3
· IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: 1,2,4 trimethylbenzene (contaminant)
· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler): · EMS Number:	30 F-E,S-E
· Stowage Category	A 2,5 E
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	**
· IMDG	
· IMDG · Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 9)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUIDS, N.O.S. (SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., 1,2,4-TRIMETHYLBENZENE (CONTAMINANT)), 3, III, ENVIRONMENTALLY HAZARDOUS

Regulato	ory information	
Safety, hed Sara	alth and environmental regulations/legislation specific for the substance or mixture	
Section 35	5 (extremely hazardous substances):	
None of th	e ingredients is listed.	
Section 31	3 (Specific toxic chemical listings):	
95-63-6	1,2,4-trimethylbenzene (contaminant)	
1330-20-7	xylene (contaminant)	
98-82-8	cumene (contaminant)	
TSCA (To.	xic Substances Control Act):	
All ingredi	ents are listed.	
TSCA new	(21st Century Act) (Substances not listed)	
	Stoddard solvent	
Propositio		
	known to cause cancer:	
98-82-8 c	umene (contaminant)	
Chemicals	known to cause reproductive toxicity for females:	
	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
	e ingredients is listed.	
	known to cause developmental toxicity:	
	e ingredients is listed.	
	y Special Hazardous Substance List:	
	xylene (contaminant)	F3
	cumene (contaminant)	F3, 1
	nia Right-to-Know List:	10,1
	1,2,4-trimethylbenzene (contaminant)	
	xylene (contaminant)	
	cumene (contaminant)	
-	nia Special Hazardous Substance List:	
	1,2,4-trimethylbenzene (contaminant) xylene (contaminant)	
	xyiene (contaminant) cumene (contaminant)	
	nic categories	
	ironmental Protection Agency)	1
	1,2,4-trimethylbenzene (contaminant)	II

(Contd. on page 11)



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 10) 1330-20-7 xylene (contaminant) 98-82-8 cumene (contaminant) D. CBD· TLV (Threshold Limit Value established by ACGIH) 1330-20-7 xylene (contaminant) A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Solvent naphtha (petroleum), light arom.

1,2,4-trimethylbenzene (contaminant)

Stoddard solvent

mesitylene (contaminant)

- · Hazard statements
- H226 Flammable liquid and vapor.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H335 May cause respiratory irritation.
- H372 Causes damage to the central nervous system through prolonged or repeated exposure.
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements

· 1 recautional	y statements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

P280

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

Do NOT induce vomiting. P331

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 12)



Printing date 08/30/2018 Reviewed on 08/30/2018

Trade name: MASSIVE

(Contd. of page 11)

P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date de révision

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 08/30/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity - Category 1B

STOT BE 1. Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1