Printing date 08/06/2015

Reviewed on 07/16/2015

1 Identification

- · Product identifier
- Trade name: ProChem® 490TX
- Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92880 USA +1 (951) 735-5511 ncollins@ccidom.com

· Information department: Product safety department · Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Stoddard solvent citrus terpene Distillates (petroleum), hydrotreated light · Hazard statements H226 Flammable liquid and vapor. H315 Causes skin irritation.

(Contd. on page 2)

US

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

	(Contd. of page 1)
	prious eye irritation.
	e an allergic skin reaction.
	amage to the central nervous system through prolonged or repeated exposure.
	ital if swallowed and enters airways.
Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P303+P361+P.	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification s	
NFPA ratings (

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 3)

US

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
8052-41-3	Stoddard solvent	30-50%
64742-47-8	Distillates (petroleum), hydrotreated light	20-40%
94266-47-4	citrus terpene	10-20%
107-98-2	1-methoxy-2-propanol	1-5%

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Possibility of spontaneous combustion. rags soaked with solvent present a fire hazard and should be stored in an approved closed container.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: No special measures required.
- Environmental precautions: No special measures required

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- *Reep ignition sources away Do Protect from heat.*

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep soiled rags in a closed container
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

8052-41-3 Stoddard solvent

- PEL Long-term value: 2900 mg/m³, 500 ppm
- REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min
- TLV Long-term value: 525 mg/m³, 100 ppm

107-98-2 1-methoxy-2-propanol

- REL Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm
- TLV Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US -

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Color: According to product specification · Odor: *Characteristic* · Odour threshold: Not determined. · pH-value: Not determined. · Change in condition Undetermined. Melting point/Melting range: Boiling point/Boiling range: Undetermined. · Flash point: 40 °C (104 °F) Not applicable. · Flammability (solid, gaseous): 210 °C (410 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: 0.5 Vol % Lower: 6.5 Vol % Upper: 3 hPa (2 mm Hg)· Vapor pressure at 20 °C (68 °F): (Contd. on page 6) US

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

		(Contd. of page 2
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with	h	
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octan	nol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	715.0 g/l / 5.95 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

94266-47-4 citrus terpene

Oral LD50 >5000 mg/kg (rabbit)

Dermal LD50 > 5000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US -

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

94266-47-4 citrus terpene

EC50 (static) 0.36 mg/kg (daphnia)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· UN-Number	
·DOT	NOT DOT REGULATED FOR DOMESTIC GROUND TRANSPORTATION
· IMDG, IATA	UN1993
· UN proper shipping name	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Stoddard solvent, citrus terpene)
Transport hazard class(es)	
· IMDG, IATA	
*	
· Class	3 Flammable liquids
· Label	3

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

	(Contd. of page 7
· Packing group · IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
• Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN1993, Flammable liquids, n.o.s. (Stoddard solvent, citru terpene), 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 9)

[•] US

Printing date 08/06/2015

Reviewed on 07/16/2015

Trade name: ProChem® 490TX

NIOSU Ca (N	(Contd. of page 8)
	ational Institute for Occupational Safety and Health)
	redients is listed.
	nents The product is classified and labeled according to the Globally Harmonized System (GHS).
• Hazard pictogr	ams
GHS02 GH	507 GHS08
· Signal word Da	inger
· Hazard-determ	ining components of labeling:
Stoddard solver	
citrus terpene	
	oleum), hydrotreated light
• Hazard stateme	ents
H226 Flammab	ole liquid and vapor.
H315 Causes sl	
	erious eye irritation.
	se an allergic skin reaction.
	amage to the central nervous system through prolonged or repeated exposure.
	atal if swallowed and enters airways.
• Precautionary	
P210 P241	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P260	Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P303+P361+P	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	
D201	and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P333+P313 P337+P313	If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
P314	<i>Get medical advice/attention if you feel unwell.</i>
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	(Contd. on page 10)

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/06/2015

Trade name: ProChem® 490TX

Reviewed on 07/16/2015

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Date of preparation / last revision 08/06/2015 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 Asp. Tox. 1: Aspiration hazard, Hazard Category 1

[·] Contact: Mr. Collins