Printing date 08/15/2019 Reviewed on 08/14/2019

1 Identification

- · Product identifier
- · Trade name: SR-95
- · CAS Number:

75-09-2

· EC number:

200-838-9

· Index number:

602-004-00-3

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Chemical Consultants Inc.

1850 Wild Turkey Circle

Corona, CA 92880

USA

+1 (951) 735-5511

ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053
- · Additional Information

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

· Hazard statements

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

· Precautionary statements

P201 Obtain special instructions before use.

(Contd. on page 2)



Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

(Contd. of page 1)

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 75-09-2 dichloromethane · Identification number(s)

• EC number: 200-838-9 • Index number: 602-004-00-3

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- $\cdot \textbf{\textit{Suitable extinguishing agents:}} \ \textit{Use fire fighting measures that suit the environment.}$
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US



Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: For large spills: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| Trotective Action Criteria for Chemicals | |
|--|-----------|
| · PAC-1: | |
| | 200 ppm |
| · PAC-2: | |
| | 560 ppm |
| · PAC-3: | |
| | 6,900 ppm |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

PEL Short-term value: 125 ppm
Long-term value: 25 ppm
see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 174 mg/m³, 50 ppm
BEI

(Contd. on page 4)

Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

(Contd. of page 3)

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Like chlorine
Odor threshold: Not determined.

(Contd. on page 5)

Printing date 08/15/2019

Safety Data Sheet acc. to OSHA HCS

inting date 08/15/2019 Reviewed on 08/14/2019


Trade name: SR-95

| | (Contd. of p | ag |
|---------------------------------------|---|----|
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | -95.1 °C (-139.2 °F) | |
| Boiling point/Boiling range: | 40 °C (104 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 605 °C (1,121 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | 13 Vol % | |
| Upper: | 22 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 453 hPa (339.8 mm Hg) | |
| Density at 20 °C (68 °F): | 1.33 g/cm³ (11.09885 lbs/gal) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water at 20 °C (68 °F): | 20 g/l | |
| Partition coefficient (n-octanol/wate | e r): Not determined. | |
| Viscosity: | | |
| <i>Dynamic at 20 °C (68 °F):</i> | 0.43 mPas | |
| Kinematic: | Not determined. | |
| Organic solvents: | 100.0 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

US



Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 | values | that are | relevant | for | classi | fication: |
|-----------|--------|----------|----------|-----|--------|-----------|
|-----------|--------|----------|----------|-----|--------|-----------|

75-09-2 dichloromethane

 Oral
 LD50
 1,600 mg/kg (rat)

 Inhalative
 LC50/4 h
 88 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

2A

· NTP (National Toxicology Program)

R

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations. (Contd. on page 7)

us.



Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

(Contd. of page 6)

· Uncleaned packagings:

· Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

| UN-Number DOT, IMDG, IATA | UN1593 | |
|--|---|--|
| UN proper shipping name DOT IMDG, IATA | Dichloromethane DICHLOROMETHANE | |
| Transport hazard class(es) | | |
| DOT | | |
| TOXIC | | |
| Class | 6.1 Toxic substances | |
| Label | 6.1 | |
| \$ | | |
| Class Label | 6.1 Toxic substances 6.1 | |
| Packing group DOT, IMDG, IATA | III | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category | Warning: Toxic substances 60 6.1-02 Liquid halogenated hydrocarbons A | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | x II of Not applicable. | |
| Transport/Additional information: | | |
| DOT Quantity limitations | On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L | |
| Hazardous substance: | 1000 lbs, 454 kg | |
| IMDG Limited quantities (LQ) | 5L | |

(Contd. on page 8)



Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

| | (Contd. of page 7) |
|----------------------------|--|
| · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 1593 DICHLOROMETHANE, 6.1, III |

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· New Jersey Special Hazardous Substance List:

CA, MU

· Pennsylvania Right-to-Know List:

Substance is listed.

· Pennsylvania Special Hazardous Substance List:

ES

· Carcinogenic categories

· EPA (Environmental Protection Agency)

L

· TLV (Threshold Limit Value established by ACGIH)

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

• GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

Printing date 08/15/2019 Reviewed on 08/14/2019

Trade name: SR-95

· Hazard pictograms

(Contd. of page 8)





- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

· Hazard statements

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other regulations, limitations and prohibitive regulations

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 08/15/2019 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Carc. 2: Carcinogenicity - Category 2