Printing date 01/31/2022 Reviewed on 01/31/2022

### 1 Identification

· Product identifier

· Trade name: <u>Tabs II</u>

· Article number: Tabs II

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92878 USA

+1 (951) 735-5511 ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Polyethylene glycol nonyl phenyl ethers Alkylated napthanene sulfonate, sodium salt disodium metasilicate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 1)

#### · Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

*P264 Wash thoroughly after handling.* 

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
111-76-2	2-butoxyethanol	1-10%
127087-87-0	Polyethylene glycol nonyl phenyl ethers	1-5%
6834-92-0	disodium metasilicate	1-5%
Alkylated napthanene sulfonate , sodium salt		1-5%

## 4 First-aid measures

- · Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

. . .



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 2)

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

For large spills: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

*Use neutralizing agent.* 

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

111-76-2	2-butoxyethanol	60 ppm
7758-29-4	pentasodium triphosphate	0.61 mg/m <sup>3</sup>
127087-87-0	Polyethylene glycol nonyl phenyl ethers	$30 \text{ mg/m}^3$
6834-92-0	disodium metasilicate	3.8 mg/m <sup>3</sup>
64-02-8	tetrasodium ethylenediaminetetraacetate	75 mg/m³
1310-73-2	sodium hydroxide	$0.5 \text{ mg/m}^3$
67-63-0	propan-2-ol	400 ppm
<i>PAC-2:</i>		•
111-76-2	2-butoxyethanol	120 ppm
7758-29-4	pentasodium triphosphate	6.8 mg/m³
127087-87-0	Polyethylene glycol nonyl phenyl ethers	330 mg/m³
6834-92-0	disodium metasilicate	42 mg/m <sup>3</sup>
64-02-8	tetrasodium ethylenediaminetetraacetate	830 mg/m³
1310-73-2	sodium hydroxide	5 mg/m <sup>3</sup>
67-63-0	propan-2-ol	2000* ppn
PAC-3:		
111-76-2	2-butoxyethanol	700 ppm
7758-29-4	pentasodium triphosphate	620 mg/m³
		(Contd. on page



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

		(Contd. of page 3)
127087-87-0	Polyethylene glycol nonyl phenyl ethers	$2,000 \text{ mg/m}^3$
	disodium metasilicate	250 mg/m³
	tetrasodium ethylenediaminetetraacetate	$5,000 \text{ mg/m}^3$
	sodium hydroxide	$50 \text{ mg/m}^3$
67-63-0	propan-2-ol	12000** ppm

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

111-76-2 2-butoxyethanol				
	PEL	Long-term value: 240 mg/m³, 50 ppm Skin		
	REL	Long-term value: 24 mg/m³, 5 ppm Skin		
		Long-term value: 20 ppm BEL A3		

#### · Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine Medium: urine Time: end of shift

Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Not required.

Personal protective equipment should be selected based on an assessment of risk of exposure as uses and conditions of

use vary and there is no single PPE scenerio that fits all. There are solvents in the blend that evaporate into the air and

under conditions of large use volumes in combination with limited ventilation, respiratory protection may be warranted.

Conditions where the worker uses the product in small amounts with local exhaust ventilation, protective gloves and

eye protection may be sufficient to control exposure

#### · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

*Color:* According to product specification

· Odor: Characteristic
· Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 11.3

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)

(Contd. on page 6)



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

	(Contd. of p	page
· Flash point:	98 °C (208.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.996 g/cm³ (8.31162 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	61.8 g/l / 0.52 lb/gal	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acut	te Toxicity	Estimate)	7
Oral	LD50	20,928 mg/kg (rat)	7
Dermal	LD50	6,897 mg/kg (rab)	
Inhalative	LC50/4 h	<u> </u>	

(Contd. on page 7)



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 6)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
111-76-2 2-butoxyethanol	3
67-63-0 propan-2-ol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· Recommended cleansing agent: Water, if necessary with cleansing agents.



nting date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 7)

UN-Number	
DOT, ADN, IMDG, IATA	not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

	Suru
	· Section 355 (extremely hazardous substances):
	None of the ingredients is listed.
	· Section 313 (Specific toxic chemical listings):
Γ	111-76-2 2-butoxyethanol

127087-87-0 Polyethylene glycol nonyl phenyl ethers 67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

		(Contd. of page
· New Jersey	Special Hazardous Substance List:	
111-76-2	2-butoxyethanol	CA, F.
1310-73-2	sodium hydroxide	CO, R
67-63-0	propan-2-ol	F3
Pennsylvai	nia Right-to-Know List:	
111-76-2	2-butoxyethanol	
7758-29-4	pentasodium triphosphate	
1310-73-2	sodium hydroxide	
67-63-0	propan-2-ol	
Pennsylvai	nia Special Hazardous Substance List:	
7758-29-4	pentasodium triphosphate	
1310-73-2	sodium hydroxide	
67-63-0	propan-2-ol	
Carcinoge	nic categories	
EPA (Envi	ronmental Protection Agency)	
111762		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

· EPA (Environmental Protection Agency)			
111-76-2 2-butoxyethanol	NL		
· TLV (Threshold Limit Value)			
111-76-2   2-butoxyethanol	A3		
67-63-0 propan-2-ol	A4		
· NIOSH-Ca (National Institute for Occupational Safety and Health)			

None of the ingredients is listed.

None of the ingredients is tisted.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Polyethylene glycol nonyl phenyl ethers

Alkylated napthanene sulfonate, sodium salt

disodium metasilicate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

*P264 Wash thoroughly after handling.* 

*P280* Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 10)



Printing date 01/31/2022 Reviewed on 01/31/2022

Trade name: Tabs II

(Contd. of page 9)

P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 01/31/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- US