(C) Chemical Consultants INCORPORATED

AQ-WASH

Low VOC Ink Wash / Recirculating Wash

General Description

AQ-Wash is a water soluble ink wash designed for the removal of plastisol, water based, UV and conventional inks. AQ-Wash is also ideal for the clean up of squeegees and flood bars. This product can be re-circulated or applied manually using one of the following applications.

Advantages

- Non-Hazardous
- High Solvency
- Low Odor
- Low VOC (Volatile Organic Compound)
- High Load capacity to reduce usage
- Used As A Recirculating Cleaner Or To Wash Parts
- Mesh Safe

Applications

Always card excessive ink from screen. Use one of the following applications.



AQ-Wash is a water soluble ink degradent which meets the requirements of Southern California AQMD to be compliant of 100 grams VOC per liter or less.



4 x 4 Stainless Steel Recirculating Booth

Recirculating Wash:

Card excessive ink from the screen. This product can be continuously recirculated until product becomes too heavily soiled with solids. Used product may be filtered and reused.

Sizes Available:

Quart Gallon

5 Gallon Pail

55 Gallon Drum

Ink Wash-Out At The Sink:

using high pressure water.

Card excessive ink from the screen.

Apply to ink side of screen. Use a

non-abrasive scrub brush or pad to

agitate ink on both sides of screen.

Finally, rinse away all residue away



Quick Tip:

Always pressure wash screen from the bottom and work upwards.

This will prevent
ink from locking
back onto the mesh
when coming in
contact with the
rinse water.