



Chemical Consultants INCORPORATED

GR-6

Graphic & Textile Ink Degradent / Screen Wash

General Description

GR-6 is a water soluble ink degradent. It is highly effective on plastisol, multi-purpose (solvent based), poster, UV and vinyl inks. GR-6 will protect the fabric from deep stains or ghosting from the image print. This makes it much easier when complete reclamation of the screen is necessary.

GR-6 can be used in a wide variety of innovative cleaning processes ranging from re-circulation machines, dip tanks, immersion cleaning processes, and automatic reclaiming machines. It can also be applied manually with a scrub pad, spray bottle, or pneumatic pump systems.

Advantages

- Low Odor
- High Solvency
- High Load Capacity To Reduce Usage
- High Flash Point / Non-Flammable
- Non-Hazardous
- Mesh Safe
- Will Not Attack Cyanoacrylate (Instant) Adhesives
- Multiple Applications

Applications

Always card excessive ink from screen. Use one of the following applications.



4 x 4 Stainless Steel
Recirculating Booth

Recirculating Wash:

Card excessive ink from the screen. This product can be continuously recirculated until product becomes too heavily soiled with solids. Used product may be filtered and reused.

Sizes Available:

Quart

Gallon

4 x 1 Gallon

5 Gallon Pail

55 Gallon Drum

Quick Tip:

Always pressure wash screen from the bottom and work upwards.

This will prevent ink from locking back onto the mesh when coming in contact with the rinse water.



Ink Wash-Out At The Sink:

Card excessive ink from the screen. Apply GR-6 to ink side of screen. Use a non-abrasive scrub brush or pad to agitate ink on both sides of screen. Finally, rinse all residue away using high pressure water.