



Chemical Consultants INCORPORATED

SMP®

Emulsion Remover Crystals

General Description

SMP® is designed for removal of all photo polymer, diazo, and capillary film emulsions. SMP® will immediately liquify and break down the emulsion. Dramatically increase the speed of the reclaim procedure.

Advantages

- **Economical**
- **Easy To Use**
- **Immediately Breaks Down Emulsion**
- **No Odor**
- **Safe On All Types Of Mesh**
- **Non-Hazardous (After Dilution)**
- **Biodegradable / Drain Safe**
- **Concentrated**

Application

Using a plastic container, dissolve 1½ oz. (by weight) into 1 gallon of water. Dilution ratio may be increased for a stronger solution.

SMP® can be applied by a sponge, pad, spray bottle, dip tank, or pneumatic pump systems.


Quick Tip:

Use a dilution that has plenty strength to break down the emulsion.

Emulsions, that are not properly broken down, will leave excessive residue on the mesh.



Step 1. After removal of ink, block-out, and tape, apply SMP® solution to a wet screen (both sides).



Step 2. Scrub screen with non-abrasive pad or brush.



Step 3. High pressure rinse - starting at bottom.

Sizes Available:

3 oz.

1 lb. Jar

2 lb. Jar

50 lb. Keg